




P.C.B LAYOUT
TOLERANCE:±0.05



Ordering Information:

A2006WV-2xXP - 9T - ***
1 2 3

- Part No.
- Material:
9T: Nylon 9T, UL94V-0(Ivory)
6T: Nylon 6T, UL94V-0(Ivory)
- Finish:
(blank): Tin over Nickel
G: Gold over Nickel



SPECIFICATIONS:

Current Rating: 3A AC,DC
Voltage Rating: 250V AC,DC
Temperature Range: -40°C ~ +105°C
Contact Resistance: 10mΩ Max.
Insulation Resistance: 1000MΩ Min.
Withstanding Voltage: 800V AC/minute
Pin Material: Brass/Tin over Nickel
Material: Nylon 9T, UL94V-0

Ordering Information & Dimensions

Circuits	Dimensions(mm)		Circuits	Dimensions(mm)	
	A	B		A	B
2x2P	2.00	6.00	2x12P	22.00	26.00
2x3P	4.00	8.00	2x13P	24.00	28.00
2x4P	6.00	10.00	2x14P	26.00	30.00
2x5P	8.00	12.00	2x15P	28.00	32.00
2x6P	10.00	14.00	2x16P	30.00	34.00
2x7P	12.00	16.00	2x17P	32.00	36.00
2x8P	14.00	18.00	2x18P	34.00	38.00
2x9P	16.00	20.00	2x19P	36.00	40.00
2x10P	18.00	22.00	2x20P	38.00	42.00
2x11P	20.00	24.00			

CJTconn

CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet
mm	5:1	1 of 1

Draw By: Diankui Wan
Approved: Jack Yin

Title :
2.00mm Pitch
180° Dual Row DIP Wafer

REV	DESCRIPTION	DATE
A4	CHANGE THE INFORMATION	2020.04.30
A3	CHANGE THE DRAWING	2020.01.02
A2	CHANGE THE TOLERANCE	2019.03.20
A1	ADD MATERIAL LCP	2018.11.15
A0	NEW RELEASE	2005.05.10

General Tolerance
x.x±0.25
x.xx±0.20
x.xxx±0.15
PROJECT

DRAW NO : A2006WV-2xXP-9T
REV A4