






Ordering Information:

A2012HG-2xXP - ***
1 2

1.Part NO.

2.Material:

(Blank): Nylon 66,UL94V-0

GWT: Nylon 66,UL94V-0(Beige),IEC 60335-1,5th
Edition Glow Wire Capable.

2.Color:

(Blank): Ivory

BK: Black

RD: Red


BL: Blue

GN: Green

OR: Orange

BR: Brown

PK: Pink



SPECIFICATIONS:

Current Rating: 3A AC,DC

Voltage Rating: 250V AC,DC

Temperature Range: -40°C ~ +105°C

Contact Resistance: 10mΩ Max

Insulation Resistance: 1000MΩ Min

Withstanding Voltage: 800V AC/minute

Material: Nylon 66,UL94V-0

Ordering Information & Dimensions


Part NO.	Dimensions(mm)		
	A	B	C
A2012HG-2x4P	6.00	10.00	4.80
A2012HG-2x5P	8.00	12.00	4.80
A2012HG-2x6P	10.00	14.00	4.80
A2012HG-2x7P	12.00	16.00	4.80
A2012HG-2x8P	14.00	18.00	4.80
A2012HG-2x9P	16.00	20.00	4.80
A2012HG-2x10P	18.00	22.00	11.20
A2012HG-2x11P	20.00	24.00	11.20
A2012HG-2x12P	22.00	26.00	11.20
A2012HG-2x13P	24.00	28.00	11.20
A2012HG-2x14P	26.00	30.00	11.20
A2012HG-2x15P	28.00	32.00	11.20
A2012HG-2x16P	30.00	34.00	15.20
A2012HG-2x17P	32.00	36.00	15.20
A2012HG-2x18P	34.00	38.00	15.20
A2012HG-2x19P	36.00	40.00	15.20
A2012HG-2x20P	38.00	42.00	15.20
A2012HG-2x21P	40.00	44.00	15.20

CJTconn


CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet	TITLE	
mm	3:1	1 of 3		
DRWN	CHK'D	APPR	2.00mm PITCH HOUSING	
Wenmin Luo	Diankui Wan	Jack Yin		
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.	REV
x.xx±0.25 x.xxx±0.20 x.xxxx±0.15 ANGLES ±1°			A2012HG-2xXP	A0


A0	NEW RELEASE	2020.07.01
REV	DESCRIPTION	DATE




2X4P




2X5P




2X6P




2X7P











2X8P




2X9P




2X10P




2X11P




2X12P








2X13P



2X14P









2X15P



A0	NEW RELEASE	2020.07.01
REV	DESCRIPTION	DATE







CJTconn CHANGJIANG CONNECTORS CO.,LTD.			
Unit	Scale	Sheet	TITLE 2.00mm PITCH HOUSING
mm	1.5:1	2 of 3	
DRWN	CHK'D	APPR	
Wenmin Luo	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO. A2012HG-2xXP
x,x±0.25 x,x,x±0.20 x,x,x,x±0.15 ANGLES ±1°			
			REV A0



2X16P

2X17P

2X18P



2X19P

2X20P

2X21P

A0	NEW RELEASE	2020.07.01
REV	DESCRIPTION	DATE

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			TITLE 2.00mm PITCH HOUSING	
Unit	Scale	Sheet		
mm	1.5:1	3 of 3		
DRWN	CHKD	APPR	DRAWING NO. A2012HG-2xXP	
Wenmin Luo	Diankui Wan	Jack Yin		
General Tolerances		THIRD ANGLE PROJECTION	REV A0	
x.xx±0.25 x.xxx±0.20 x.xxxx±0.15 ANGLES ±1°				