







A0	NEW RELEASE	2020.09.22
REV	DESCRIPTION	DATE





TYPE:

6	CAP	LCP UL94V-0	Black	1PCS
5	Shell	SUS304 T=0.30mm	Nickel 30u" Min Plating	1PCS
4	EMI	SUS301 T=0.10mm	CLEAR ONLY	1PCS
3	Shielding Plate	SUS301 T=0.15mm	CLEAR ONLY	1PCS
2	Contact	C7025-H T=0.12mm	Au 3u"Plated On Vontact Area Tin Plated On Solder Area; Nickel 30u"Min Under Plating Over All.	2SET
1	Housing	LCP UL94V-0	Black	1PCS
No.	Description	Material	Remarks	QTY

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			TITLE	
Unit	Scale	Sheet	USB TYPE C FEMALE 24PIN VERTICAL TYPE SHELL H12.0mm	
mm	1:1	1 of 3		
DRAWN	CHKD	APPR	DRAWING NO.	
Haisen Li	Diankui Wan	Jack Yin		
General Tolerances		THIRD ANGLE PROJECTION	CJ-CF135-24P	
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°		REV A0		



产品放置载带中时，铆合面方向可以不一致！！



	REEL	CARTON
CONNECTOR (PCS)	250	2000

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			
Unit	Scale	Sheet	TITLE
mm	1:1	3 of 3	
DRAWN	CHKD	APPR	USB TYPE C FEMALE 24PIN VERTICAL TYPE SHELL H12.0mm
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°			
CJ-CF135-24P			REV A0

REV	DESCRIPTION	DATE
A0	NEW RELEASE	2020.09.22