










加塞子示意图



TABLE

5	CAP	LCP UL94V-0	Black	1PCS
4	Shell	SUS304 T=0.30mm	Nickel 30u" Min Plating	1PCS
3	Shielding Plate	SUS301 T=0.15mm	---	1PCS
2	Contact	C2680 T=0.20mm	Au 1u"Plated On Vontact Area GF Plated On Solder Area; Nickel 50u"Min Under Plating Over All.	1SET
1	Housing	LCP UL94V-0	Black	1PCS
No.	Description	Material	Remarks	QTY

CJTconn CHANGJIANG CONNECTORS CO.,LTD.


Unit	Scale	Sheet	TITLE	
mm	1:1	1 of 3	USB TYPE C FEMALE 6PIN VERTICAL DIP TYPE SHELL H6.50mm	
DRAWN	CHKD	APPR	DRAWING NO.	
Haisen Li	Diankui Wan	Jack Yin		
General Tolerances		THIRD ANGLE PROJECTION	CJ-CF256-6P	
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°			REV A0	



A0	NEW RELEASE	2020.07.07
REV	DESCRIPTION	DATE



Pin Number	Signal Name	Pin Number	Signal Name
A1	---	B12	GND
A2	---	B11	---
A3	---	B10	---
A4	---	B9	VBUS
A5	CC1	B8	---
A6	---	B7	---
A7	---	B6	---
A8	---	B5	CC2
A9	VBUS	B4	
A10	---	B3	---
A11	---	B2	---
A12	GND	B1	---

A0	NEW RELEASE	2020.07.07
REV	DESCRIPTION	DATE





W	24.00±0.30	P	12.00±0.10	A0	3.39±0.10	B0	9.04±0.10
S	0.00±0.10	P0	4.00±0.10	A1		B1	
E	1.75±0.10	P2	2.00±0.10			B2	
F	11.50±0.10	D0	Ø1.50±0.10	K0	9.80±0.10	K1	
T	0.50±0.05	D1					

	REEL	CARTON
CONNECTOR (PCS)	600	6000

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			
Unit	Scale	Sheet	TITLE USB TYPE C FEMALE 6PIN VERTICAL DIP TYPE SHELL H6.50mm
mm	1:1	3 of 3	
DRAWN	CHKD	APPR	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.
x.x±0.25			
x.xx±0.20			
x.xxx±0.15			
ANGLES ±1°			REV
CJ-CF256-6P			A0