







SECTION A-A




TYPE:

4	SHELL	1PCS	STAINLESS STEEL	50u" MIN SOLDERABLE NICKEL
3	CONTACT	1SET	COPPER ALLOY	GOLD 30U" Min PLATED ON CONTACT AREA AND G/F ON SOLDER TAILS OVER 50u" Min NICKEL UNDERPLATING OVERALL
2	MID-PLATE	1PCS	STAINLESS STEEL	NO PLATING
1	HOUSING	1PCS	THERMOPLASTIC	BLACK COLOR, UL94 V-0
ITEM	PART NAME	Q'TY	MATERIAL	FINISH



CJTconn CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet	TITLE
mm	1:1	1 of 3	USB TYPE C FEMALE 16PIN Mid-Mount 1.58 8A
DRAWN	CHKD	APPR	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	
x.xx ± 0.25 x.xx ± 0.20 x.xxx ± 0.15 ANGLES ± 1°			
DRAWING NO.			REV
CJ-CF316-014-16P			A0

REV	DESCRIPTION	DATE
A0	NEW RELEASE	2022.02.17




 CHANGJIANG CONNECTORS CO.,LTD.				
Unit	Scale	Sheet	TITLE USB TYPE C FEMALE 16PIN Mid-Mount 1.58 8A	
mm	1:1	2 of 3		
DRAWN Haisen Li	CHK'D Diankui Wan	APPR Jack Yin		
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO. CJ-CF316-014-16P	
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°				
			REV A0	




NOTES

1. Qty/reel: 1500pcs
2. Lead tape length



3. Qty/Carton: 12000pcs

4. Other packaging requirements shall be reference to the customer's packaging specifications.



	REEL	CARTON
CONNECTOR (PCS)	1500	12000

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			
Unit	Scale	Sheet	TITLE
mm	1:1	3 of 3	USB TYPE C FEMALE 16PIN Mid-Mount 1.58 8A
DRAWN	CHKD	APPR	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°		DRAWING NO.	
A0		NEW RELEASE	
REV		DESCRIPTION	
		DATE	
		2022.02.17	
		CJ-CF316-014-16P	
		REV A0	