








TYPE:

4	SHELL	SUS304 T=0.30mm	Nickel 30u" Min Plating	1PCS
3	MID PLATE	SUS301 T=0.15mm	Nickel 30u" Min Plating	1PCS
2	Contact	C18400 T=0.12mm	Au 3u"Plated On Vontact Area GF Plated On Solder Area; Nickel 30u"Min Under Plating Over All.	2SET
1	Housing	PA9T UL94V-0	Black	1PCS
No.	Description	Material	Remarks	QTY




CJTconn CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet	TITLE
mm	1:1	1 of 3	USB4 Type C Female 24Pin MID-MOUNT, OFFSET HEIGHT 1.08mm, DUAL- ROW SMT, CH=0.50mm, L8.17mm
DRAWN	CHKD	APPR	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°			CJ-CF324-012-24P
A0		NEW RELEASE	2020.12.15
REV		DESCRIPTION	DATE

REV
A0



SEE DETAIL X



	REEL	CARTON
CONNECTOR (PCS)	1500	15000

CJTconn CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet	TITLE
mm	1:1	3 of 3	USB4 Type C Female 24Pin MID-MOUNT, OFFSET HEIGHT 1.08mm, DUAL- ROW SMT, CH=0.50mm, L8.17mm
DRAWN	CHKD	APPR	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances			THIRD ANGLE PROJECTION
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°			
DRAWING NO.			REV
CJ-CF324-012-24P			A0

REV	DESCRIPTION	DATE
A0	NEW RELEASE	2020.12.15