









MATED CONDITION(REF.)






TYPE:

4	Shell	SUS304 T=0.30mm	Nickel 30u" Min Plating	1PCS
3	Shielding Plate	SUS301 T=0.15mm	---	1PCS
2	Contact	C7025 T=0.12mm	Au 1u"Plated On Vontact Area GF Plated On Solder Area; Nickel 50u"Min Under Plating Over All.	1SET
1	Housing	LCP UL94V-0	Black	1PCS
No.	Description	Material	Remarks	QTY

CJTconn CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet	TITLE
mm	1:1	1 of 3	USB TYPE C FEMALE 16PIN UPRIGHT TYPE SHELL CH=4.58 L14.00mm
DRAWN	CHKD	APPR	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°			CJ-CF616-003-16P
			REV A0

A0	NEW RELEASE	2023.08.15
REV	DESCRIPTION	DATE



	REEL	CARTON
CONNECTOR (PCS)	500	4000

CJTconn CHANGJIANG CONNECTORS CO.,LTD.			TITLE
Unit	Scale	Sheet	USB TYPE C FEMALE 16PIN UPRIGHT TYPE SHELL CH=4.58 L14.00mm
mm	1:1	3 of 3	
DRAWN	CHKD	APPR	DRAWING NO.
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	CJ-CF616-003-16P
x.xx±0.25 x.xx±0.20 x.xxx±0.15 ANGLES ±1°		THIRD ANGLE PROJECTION	
A0	NEW RELEASE	2023.08.15	REV A0
REV	DESCRIPTION	DATE	