








SECTION A-A
SCALE 2:1




LATCH TYPE	DIM."A"	DIM."B"
SHORT	152.00	140.80
MIDDLE	156.00	142.35
LONG	162.00	147.30

REV	DESCRIPTION	DATE
A0	NEW RELEASE	2024.05.08


CJTconn			CHANGJIANG CONNECTORS CO.,LTD.	
Unit	Scale	Sheet	TITLE	
mm	1:1	1 of 4	DDR 4, VERTICAL 288P MEMORY SOCKET DIP TYPE	
DRAWN	CHK'D	APPR'D		
Haisen Li	Diankui Wan	Jack Yin		
General Tolerances			DRAWING NO.	
x.xx±0.25 x.xxx±0.20 x.xxxx±0.15 ANGLES ±1°			DDR4-0851WVX-F-288P	
THIRD ANGLE PROJECTION			REV A0	



SHORT LATCH



LONG LATCH
A



MIDDLE LATCH
B

Ordering Information:

DDR4 - 0851WVX -F-288P-
1 2 3 4 5 6 7

1.Part NO.

2.Latch Type:

(Blank): Short Latch

A: Type A Long Latch

B: Type B Middle Latch

3.Housing Color

(Blank): Black

HNA: Natural

HL: Blue

4.Latch Color

(Blank): Black

LNA: Natural

LBL: Blue

5.Finish:

(Blank): Select Gold:15µin[0.38µm]Min.

Select reflowed matte tin: 80µin[2.03µm] Min

Overall Nickel Underplate: 30µin[0.76µm] Min.

G: Select Gold:1uin[0.025um]Min.

Select reflowed matte tin: 80µin[2.03µm] Min

Overall Nickel Underplate: 30µin[0.76µm] Min.

G30: Select Gold:30µin[0.76µm]Min.

Select reflowed matte tin: 80µin[2.03µm] Min

Overall Nickel Underplate: 30µin[0.76µm] Min.

6.Size D:

(Blank): 2.67mm

D21: 2.10mm

D24: 2.40mm

D32: 3.18mm

7.Packing:

(Blank): Tray

SPECIFICATIONS:

Current Rating: 0.75A AC,DC

Voltage Rating: 25V AC,DC

Temperature Range: -40°C ~ +105°C

PIN Material: Copper Alloy

Boardlocks: SUS 304

Latch Material: Nylon 46,UL94V-0


Housing Material: Nylon 46,UL94V-0

CJTconn


CHANGJIANG CONNECTORS CO.,LTD.

Unit		Scale		Sheet		TITLE DDR 4, VERTICAL 288P MEMORY SOCKET DIP TYPE	
mm		1.5:1		2 of 4			
DRAWN		CHK'D		APPR'D			
Haisen Li		Diankui Wan		Jack Yin			
General Tolerances		THIRD ANGLE PROJECTION					
x.xx±0.25 x.xxx±0.20 x.xxx±0.15 ANGLES ±1°				DRAWING NO. DDR4-0851WVX-F-288P		REV A0	


A0	NEW RELEASE	2024.05.08
REV	DESCRIPTION	DATE



RECOMMENDED PCB LAYOUT (TOP VIEW)



CJTconn CHANGJIANG CONNECTORS CO.,LTD.				
Unit	Scale	Sheet	TITLE	
mm	1:1	3 of 4		
DRAWN	CHK'D	APPR'D		
Haisen Li	Diankui Wan	Jack Yin	DDR 4, VERTICAL 288P MEMORY SOCKET DIP TYPE	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.	REV A0
x.x±0.25 x.xxx±0.20 x.xxx±0.15 ANGLES ±1°				
		DDR4-0851WVX-F-288P		



CJTconn CHANGJIANG CONNECTORS CO.,LTD.			
Unit	Scale	Sheet	TITLE
mm	1:1	4 of 4	DDR 4, VERTICAL 288P MEMORY SOCKET DIP TYPE
DRAWN	CHK'D	APPR'D	
Haisen Li	Diankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.
x.xx±0.25 x.xxx±0.20 x.xxxx±0.15 ANGLES ±1°			DDR4-0851WVX-F-288P
REV	DESCRIPTION	DATE	REV
A0	NEW RELEASE	2024.05.08	A0